

Akbaş, A. (2025). Hand-focused strength and proprioceptive training for improving grip strength and manual dexterity in healthy adults: A systematic review and meta-analysis. *Journal of Clinical Medicine*.

Amin, N. H., Kumar, N. S., & Schickendantz, M. S. (2015). Medial epicondylitis: Evaluation and management. *Journal of the American Academy of Orthopaedic Surgeons*, 23(6), 348–355.

Assmann, M., Steinmetz, G., Schilling, A. F., & Saul, D. (2020). Comparison of grip strength in recreational climbers and non-climbing athletes—a cross-sectional study. *International Journal of Environmental Research and Public Health*, 17(24), 9319.

Boyes, N. G., Yee, P., Lanovaz, J. L., & Farthing, J. P. (2017). Cross-education after high-frequency versus low-frequency volume-matched handgrip training. *Muscle & Nerve*, 55(6), 875–883.

Chen, Z. (2018). A novel staged wrist sensorimotor rehabilitation program for a patient with triangular fibrocartilage complex injury: A case report. *Journal of Hand Therapy*, 31(1), 123–130.

Cheng, F., Li, N., Yang, J., et al. (2024). The effect of resistance training on patients with secondary sarcopenia: A systematic review and meta-analysis. *Scientific Reports*, 14.

Chequela-Galaz, C., Antúnez-Riveros, M. A., Lastra-Millán, A., et al. (2023). Exercise-based intervention as a nonsurgical treatment for patients with carpal instability: A case series. *Journal of Hand Therapy*.

Chu, E., Kim, Y. S., Hill, G., et al. (2018). Wrist resistance training improves motor control and strength. *Journal of Strength and Conditioning Research*, 32(4), 1002–1012.

Couppé, C., Døssing, S., Bülow, P. M., et al. (2022). Effects of heavy slow resistance training combined with corticosteroid injections or tendon needling in patients with lateral elbow tendinopathy: A 3-arm randomized double-blinded placebo-controlled study. *American Journal of Sports Medicine*, 50(4), 1103–1112.

Esplugas, M., Lluch, A., Salva-Coll, G., et al. (2023). Influence of forearm rotation on the kinetic stabilizing efficiency of the muscles that control the scapholunate joint: Clinical application in proprioceptive and neuromuscular rehabilitation programs. *Journal of Hand Therapy*.

Forman, D. A., Forman, G. N., & Holmes, M. W. R. (2021). Wrist extensor muscle activity is less task-dependent than wrist flexor muscle activity while simultaneously performing moderate-to-high handgrip and wrist forces. *Ergonomics*, 64(9), 1181–1192.

Gardner, M. J., Crisco, J. J., & Wolfe, S. W. (2006). Carpal kinematics. *Hand Clinics*, 22(4), 413–420.

Goisard de Monsabert, B., Caumes, M., Berton, E., & Vigouroux, L. (2023). Influence of force-length relationship and task-specific constraints on finger force-generating capacities. *Annals of Biomedical Engineering*, 51, 1–14.

Gould, H. P., Berger, R. A., & Wolfe, S. W. (2015). The origin and meaning of "intercalated segment." *Journal of Hand Surgery (American Volume)*, 40(12), 2471–2472.

Hagert, E., & Rein, S. (2023). Wrist proprioception—an update on scientific insights and clinical implications in rehabilitation of the wrist. *Journal of Hand Therapy*.

Heales, L. J., Bout, N., Dines, B., et al. (2021). An investigation of maximal strength of the upper limb bilaterally in individuals with lateral elbow tendinopathy: A systematic review with meta-analysis. *Physical Therapy*, 101(11).

Hegmann, K. T., Hoffman, H. E., Belcourt, R. M., et al. (2013). ACOEM practice guidelines: Elbow disorders. *Journal of Occupational and Environmental Medicine*, 55(11), 1365–1374.

Holmes, M. W., Tat, J., & Keir, P. J. (2014). Neuromechanical control of the forearm muscles during gripping with sudden flexion and extension wrist perturbations. *Computer Methods in Biomechanics and Biomedical Engineering*, 18(15), 1–9.

Hoogvliet, P., Randsdorp, M. S., Dingemanse, R., Koes, B. W., & Huisstede, B. M. (2013). Does effectiveness of exercise therapy and mobilisation techniques offer guidance for the treatment of lateral and medial epicondylitis? A systematic review. *British Journal of Sports Medicine*, 47(17), 1112–1119.

Hua-Rui, L., Shouliang, H., Zhengze, Y., et al. (2025). Optimal dose of resistance training to improve handgrip strength in older adults with sarcopenia: A systematic review and Bayesian model-based network meta-analysis. *Frontiers in Physiology*.

Jung, K. S., Jung, J. H., Shin, H. S., et al. (2021). The effects of taping combined with wrist stabilization exercise on pain, disability, and quality of life in postpartum women with wrist pain: A randomized controlled pilot study. *International Journal of Environmental Research and Public Health*, 18(9), 4634.

Karanasios, S., Korakakis, V., Whiteley, R., et al. (2021). Exercise interventions in lateral elbow tendinopathy have better

outcomes than passive interventions, but the effects are small: A systematic review and meta-analysis of 2123 subjects in 30 trials. *British Journal of Sports Medicine*, 55(9), 477–485.

Kaufman-Cohen, Y., Levanon, Y., Friedman, J., Yaniv, Y., & Portnoy, S. (2020). Home exercise in the dart-throwing motion plane after distal radius fractures: A pilot randomized controlled trial. *Journal of Hand Therapy*, 33(4), 528–537.

Kibler, W. B., & Livingston, B. (2001). Closed-chain rehabilitation for upper and lower extremities. *Journal of the American Academy of Orthopaedic Surgeons*, 9(6), 412–421.

Kim, B., Jeong, T., Shin, H., & Chung, Y. (2025). The effects of upper extremity closed kinetic chain exercise combined with biofeedback in stroke survivors: A pilot study. *NeuroRehabilitation*.

Lötters, F. J. B., Schreuders, T. A. R., & Videler, A. J. (2019). SMOc-Wrist: A sensorimotor control-based exercise program for patients with chronic wrist pain. *Journal of Hand Therapy*, 32(2), 253–260.

Medernach, J. P., Kleinöder, H., & Lötzerich, H. H. (2015). Fingerboard in competitive bouldering: Training effects on grip strength and endurance. *Journal of Strength and Conditioning Research*, 29(8), 2286–2295.

Milner, Z., Klaic, M., Withiel, T., & O'Sullivan, H. (2021). Targeted sensorimotor retraining in the clinical setting: Improving patient outcomes following distal upper extremity injury. *Journal of Hand Therapy*, 34(4), 561–569.

Mundry, S., Steinmetz, G., Atkinson, E. J., et al. (2021). Hangboard training in advanced climbers: A randomized controlled trial. *Scientific Reports*, 11.

Oranchuk, D. J., Storey, A. G., Nelson, A. R., & Cronin, J. B. (2019). Isometric training and long-term adaptations: Effects of muscle length, intensity, and intent: A systematic review. *Scandinavian Journal of Medicine & Science in Sports*, 29(4), 484–503.

Østerås, N., Kjekken, I., Smedslund, G., et al. (2017). Exercise for hand osteoarthritis. *Cochrane Database of Systematic Reviews*.

Peterson, M., Butler, S., Eriksson, M., & Svärdsudd, K. (2014). A randomized controlled trial of eccentric vs. concentric graded exercise in chronic tennis elbow (lateral elbow tendinopathy). *Clinical Rehabilitation*, 28(9), 862–872.

Ran, J., Yang, J., Li, N., et al. (2025). Dose-response effects of resistance training in sarcopenic older adults: Systematic review and meta-analysis. *BMC Geriatrics*.

Salva-Coll, G., Lluch, A., Esplugas, M., Carreño, A., Scott-Tennent, A., Larrea-Zabalo, M., & Garcia-Elias, M. (2024). Scapholunate and lunotriquetral joint dynamic stabilizers and their role in wrist neuromuscular control and proprioception. *Journal of Hand Therapy*, 37(2), 273–281.

See, Z. H., Loo, C. E., & Jaafar, Z. (2026). Eccentric exercise therapy for medial epicondylitis: A systematic review of clinical outcomes. *Complementary Therapies in Medicine*.

Sethi, K., & Noohu, M. M. (2018). Scapular muscles strengthening on pain, functional outcome and muscle activity in chronic lateral epicondylalgia. *Journal of Orthopaedic Science*, 23(5), 777–782.

Shen, Y., Shi, Q., Nong, K., et al. (2023). Exercise for sarcopenia in older people: A systematic review and network meta-analysis. *Journal of Cachexia, Sarcopenia and Muscle*, 14(3), 1199–1211.

Shimose, R., Matsunaga, A., & Muro, M. (2011). Effect of submaximal isometric wrist extension training on grip strength. *European Journal of Applied Physiology*, 111(10), 2467–2476.

Stasinopoulos, D., & Stasinopoulos, I. (2016). Comparison of effects of eccentric training, eccentric-concentric training, and eccentric-concentric training combined with isometric contraction in the treatment of lateral elbow tendinopathy. *Journal of Hand Therapy*, 30(1), 13–19.

Szymanski, D. J., Szymanski, J. M., Molloy, J. M., & Pascoe, D. D. (2004). Effect of 12 weeks of wrist and forearm training on high school baseball players. *Journal of Strength and Conditioning Research*, 18(3), 432–440.

Tiryaki, P., & Çelik, D. (2026). Strengthening of rotator cuff and scapular muscles in patients with lateral elbow tendinopathy: A randomized controlled study. *Archives of Physical Medicine and Rehabilitation*.

Tyler, T. F., Thomas, G. C., Nicholas, S. J., & McHugh, M. P. (2010). Addition of isolated wrist extensor eccentric exercise to standard treatment for chronic lateral epicondylitis: A prospective randomized trial. *Journal of Shoulder and Elbow Surgery*, 19(6), 917–922.

Vuvan, V., Vicenzino, B., Mellor, R., Heales, L. J., & Coombes, B. K. (2020). Unsupervised isometric exercise versus wait-and-see for lateral elbow tendinopathy. *Medicine and Science in Sports and Exercise*, 52(2), 287–295.

Yoon, S. Y., Kim, Y. W., Shin, I. S., et al. (2021). The beneficial effects of eccentric exercise in the management of lateral elbow tendinopathy: A systematic review and meta-analysis. *Journal of Clinical Medicine*, 10(17), 3968.